The Repertory Window

Tape 1—1:00:01

When you open RADAR, it opens to the Repertory window, or Repertory View. You must start all searches for symptoms in this view.

The emphasis in Synthesis has always been on Quality. There are a number of ways you can modify the Repertory window to choose your own level of quality and reliability. RADAR 8 allows you to choose between a variety of different views of current homeopathic information. You can choose to display the number of remedies that contain a particular symptom, you can choose to display the remedies or not, and you can choose to display authors or not as well.

### Repertory Views

Tape 1—1:07:13

The default view when you first open RADAR is the Millenium View. This view contains all the information in the Complete Synthesis without the speculative information by Jan Scholten or dream provings or meditation provings. Information about this view and some of the more commonly used views are contained in the table below.

REPERTORY VIEW TABLE

Repertory View	Contents
Millenium View	Contains all the information in the Complete Synthesis without the speculative work by Jan Scholten or dream or meditation provings. It does contain all the information of recent provings.
Full View	Contains the Complete Synthesis as well as the work of Jan Scholten and dream and meditation provings.
Quantum View	Contains the Complete Synthesis without any of the more recent provings or the speculative work. It does contain contemporary clinical information. You may wish to use this view because it has the most reliable clinical information.

To change the Repertory View:

1. From the Repertory Window, click the Repertory View Changer. A drop down menu appears.
2. Click the desired view from the menu choices.

Repertory View Changer

```
Millennium view ▾

    Full Synthesis

    Millennium view
    Quantum view
    Modern to 1987 (Schmidt)
    Classics to 1916 (Kent)
    Pioneers to 1843 (Hahnemann)
    Kent Repertory (revised)

    Advanced views...                    ▸

    Create a new view...

    Help about views...
```

To learn about all the Repertory Views:

1. From the Repertory Window, click the Repertory View Changer. A drop down menu appears.
2. Click *Help about views***....** The Help system starts and opens to the *Help About Views* page which contains information about each of the view choices on the drop down menu.
3. Click the green underlined text to find out which authors are contained in which view.
4. Click the Back button at the top of the screen to return to the *Help About Views*

---

o Notice the number of remedies that appears in the symptom Mind, Absentminded.
o Click the **Repertory View Changer**. Choose the **Full Synthesis**. Notice the number of remedies that appear in the symptom Mind, Absentminded.
o Click the **Repertory View Changer**. Choose the **Millenium View**. Notice the number of remedies that appear in the symptom Mind, Absentminded.
o Click the **Repertory View Changer**. Choose the **Quantum View**. Notice the number of remedies that appear in the symptom Mind, Absentminded.
o Click the **Repertory View Changer**. Choose **Modern to 1987** view. Notice the number of remedies that appear in the symptom Mind, Absentminded.
o Click the **Repertory View Changer**. Choose **Help about views**. Scroll through and notice the information about each of the views.
o Scroll to the bottom of the Help About Views screen.
o Click the underlined green text **Graphical Representation of Views** to find out how many homeopathic books are included in each view.
o Close the Help screen.

Creating Your Own Repertory View

If you feel like you don't like any of the views available, you can always create your own Repertory View, including only those authors you feel are reliable, or excluding those you feel are not reliable.

To create your own Repertory View:

1. Click the Repertory View Changer. Select Create a New View from the menu that appears.
2. A dialog box appear to warn you that any repertories currently open will be closed. Click Yes to continue.
3. The Views Selection for Synthesis 8.0 (English) dialog box appears. Click the Create View button.
4. A dialog box appears prompting you to name the new view. Enter the desired name. Press Enter or click Okay.
5. Click the authors you wish to include.
   –or-
   Click the Select all button (Alt+a) to include all authors. Then click to deselect the authors you wish to exclude.
6. Click the Build button (Alt+B) to create a new view. The new view will now appear on the menu when you click the Repertory View Changer.

NOTE	Once you have begun to create a new view, it will take 20 minutes to complete the creation of the new view. You must allow it to continue building the view.

o   Change the view to **Full Synthesis**.

Changing Repertory Window Options

Tape 1—1:00:01

In addition to creating and changing Repertory Views, RADAR also allows you to specify what information you would like displayed in the Repertory Window. For example, you can choose to display the number of remedies contained in a rubric or you can choose to not see the remedies associated with rubrics.

The following briefly explains the options available to change in RADAR.

Remedies

You can choose between *No remedies*, only the *number of remedies*, all the *remedies* and *both number and remedies*.

Some users choose to keep the names of the remedies hidden until after they have finished their repertorization so they are not influenced to choose a rubric based on what remedies are in the rubric.

Degrees

Some users may choose to not include remedies for which the particular symptom is not strong.

Authors

Tape 1—1:09:52

If you choose to show authors, more author options appear when the *Show Authors* box is checked. If you choose to show authors, you can choose to indicate if *Kent* was an author or not. You would also indicate whether to display notes by the author as well. In addition, you can display the authors in subscript or superscript and indicate how much lower or higher you would like the author abbreviations to appear.

Some users choose to not display the authors, only viewing them if they find it necessary for a particular symptom. Some users find the author abbreviations clutter up the screen, while others find that having the authors on the screen makes it easier to read which remedies appear in the rubric. Increasing the superscript or subscript value increases the space between the lines within each rubric.

General Options

There are several options that can be changed in viewing RADAR, including synonyms, cross references, referring rubrics, concept information, and using multi-media. Each of these features will be explained in greater detail as the topics come up in the document.

You can choose to change the *number of columns* on the RADAR screen, how far to indent the remedies from the rubric name (if there are enough to take up more than one line), how far the sub rubrics are indented under the main rubrics, and how many levels of subrubrics are included in the display.

To change Repertory Window options:
1. From the Options menu, choose Repertory Window. (Alt+O, e). The Repertory Window Options dialog box appears.

2. To change options on how remedies appear, click the appropriate radio button in the Remedies area, or press Alt plus the underlined letter.
3. To indicate you want Authors to appear on the screen next to each remedy, click in the Show Authors check box or press Alt+A. When you have selected the Show Authors check box, additional radio buttons appear. Choose the desired options.
4. To indicate how many columns you would like the information to appear in on the screen, select the radio button next to the desired number of columns, or press Alt and the number of columns desired.
5. To get additional information on the other options that appear in the Repertory Window Options dialog box, click the Help button contained in the dialog box, or press F1.
6. If you wish to save your changes to the view, click the Save button, or press Alt + S.
7. If at any time you wish to return to the Default settings from the original installation of RADAR, click the Defaults button or press Alt+D.
8. When you have made the desired modifications, press Enter or click OK.

Identifying Authors

If you choose to display author abbreviations, you will not likely be able to memorize all the authors in RADAR. However, it is easy to find what publications and authors those abbreviations represent.

To identify authors:

1. Double click on the author reference next to the remedy of interest. The Author Information Window appears.

2. To close the window, press Esc or click the Close button.

Künzli Dots

Tape 1—27:26

These dots are placed through out Synthesis, most often after a rubric, but sometimes after a remedy. If it is placed after a rubric, it indicates a pretty complete rubric. Based on Dr. Künzli's clinical experience, he found that if a patient has one of these symptoms, most often the curative remedy is found in that rubric. These types of rubrics are safer to make into Elimination rubrics than those that are not Künzli dot rubrics.

If the Künzli dot is after the remedy, and a patient exhibits this symptom, there is a very strong chance that this is the curative remedy.

Künzli dot after the rubric.

Künzli dot after the remedy.

NOTE	The Künzli dots do not appear in all repertory views. The Künzli dots after the remedies do not appear unless the Author references are displayed.

NOTES

- o Go to the rubric **Mind, Ailments from Mortification**. Notice the Künzli dot after the rubric.
- o Go to the rubric **Generals, Faintness, pain, from**. Notice the Künzli dot after the remedy Chamomilla.