

# Synthesis Treasure Edition - Examples

These examples are not the complete Treasure additions, they are taken from some different parts of the Repertory to give an impression of the work done.  
Examples in red indicate interesting examples, e.g. several changes within the same symptom.

## Unique Additions

Unique additions indicate a new remedy as compared to Synthesis 9.1V.

### Vertigo

VERTIGO - AIR; IN OPEN - amel.: nat-s.

VERTIGO - WARM - room - agg.: nat-s.

### Head

HEAD - ENLARGED sensation: ars-i.

HEAD - ERUPTIONS - bleeding - scratching; after: nit-ac.

HEAD - ERUPTIONS - nodes: mag-m.

HEAD - FULLNESS: kali-br.

HEAD - ITCHING of scalp - scratching - amel.: sil.

HEAD - JERKING of the head - sleep - during - agg.: hyper.

HEAD - PAIN: merc-i-r.

HEAD - PAIN - intermittent pains: cupr-act.

HEAD - PAIN - mental exertion - amel.: calc.

HEAD - PAIN - motion - head; of - agg.: jug-r.

HEAD - PAIN - pulled; sensation as if hair were: mez.

HEAD - PAIN - rheumatic: cic.

HEAD - PAIN - unconsciousness, with - motion agg.: nat-m.

HEAD - PAIN - Forehead - morning: borx.

HEAD - PAIN - Forehead - alternating with - Occiput; pain in: agar.

HEAD - PAIN - Forehead - motion - agg.: pic-ac.

HEAD - PAIN - Forehead - periodical: Chinin-s.

HEAD - PAIN - Forehead - standing - agg.: calc.

HEAD - PAIN - Forehead - standing - amel.: calc-act.

HEAD - PAIN - Forehead - Eminence; frontal - right: Cina

**HEAD - PAIN - Forehead - Eyes - Above - right:** crot-h., hyper., lyss., Ol-j.

HEAD - PAIN - Forehead - Eyes - Above - morning: ther.

HEAD - PAIN - Occiput - cold - applications - amel. - sore: euphr.

**HEAD - PAIN - Occiput - motion - agg.:** colch., sil.

HEAD - PAIN - Occiput - rising - amel.: chinin-s.

**HEAD - PAIN - Occiput - sleep - after - agg.:** mag-m., merc.

HEAD - PAIN - Sides - one side: hep.

HEAD - PAIN - Sides - lying - amel.: kali-c.

HEAD - PAIN - Sides - extending to - Face - drawing pain: cupr-act.

HEAD - PAIN - Temples - left: Lach.

**HEAD - PAIN - Temples - chewing agg.:** am-c., am-m., ind., kali-c., olnd., thuj.

HEAD - PAIN - Temples - shooting pain: lyss.

HEAD - PAIN - Temples - extending to - Vertex: aur-m.

HEAD - PAIN - Vertex - morning - waking - on: bar-c.

HEAD - PULSATING - air; in open - agg.: Sulph.

HEAD - PULSATING - Vertex - motion - agg.: Chel.

### Eye

EYE - PAIN - right - sore: Con.

EYE - PAIN - burning: urt-u.

EYE - PAIN - drawing pain - outward: Con.

EYE - PROTRUSION: lyc., mag-s.,

EYE - PUPILS - dilated - insensible to light: hydr.

EYE - SPOTS, specks, etc. - Cornea; on - bluish: Calc.  
EYE - DISCOLORATION - yellow: Aur-m.

#### Vision

VISION - DIM - increasing suddenly - decreasing - suddenly: cact.

#### Stomach

STOMACH - APPETITE - wanting - thirst - with: merc-cy.  
STOMACH - ERUCTATIONS; TYPE OF - empty - hysteria; during: tarent.  
STOMACH - NAUSEA - faint-like: alumn.  
STOMACH - PULSATION - lying on back agg.: Dig.  
STOMACH - VOMITING; TYPE OF - food - eating - while - agg.: ruta

#### Male & Female

MALE GENITALIA/SEX - PAIN - Spermatic cords - dragging: chinin-s.  
FEMALE GENITALIA/SEX - MENSES - frequent; too - week - two weeks; every: berb.  
FEMALE GENITALIA/SEX - PAIN - Ovaries - left - then right - cutting pain: arg-n.

## Change of degree

Change of degree indicates a new degree as suggested by Kent. Synthesis 10 will come with the possibility to handle degrees more flexibly. Until then degrees are not changed in Synthesis in order to avoid too variable results between subsequent versions. The change of degree can be seen by clicking on the author abbreviation.

#### Mind

MIND - INSANITY - alternating with - metrorrhagia: crot-c.: DG2 instead of DG1  
MIND - INSANITY - menses - suppressed, with: ign.: DG2 instead of DG1  
MIND - INSANITY - threatening destruction and death: tarent.: DG2 instead of DG3  
MIND - JEALOUSY: stram.: DG1 instead of DG2  
MIND - LOATHING - life: aur-s.: DG1 instead of DG2  
MIND - MEMORY - active: bed.: DG1 instead of DG2  
**MIND - MEMORY - weakness of memory: carb-an.: DG1 instead of DG2**  
MIND - MEMORY - weakness of memory: lac-ac.: DG1 instead of DG2  
MIND - MEMORY - weakness of memory: tub.: DG1 instead of DG2  
MIND - MENTAL SYMPTOMS - alternating with - physical symptoms: plat.: DG2 instead of DG3  
MIND - MIRTH - evening: valer.: DG2 instead of DG1  
MIND - MOROSE: merc.: DG2 instead of DG3  
MIND - RESTLESSNESS - anxious: acon.: DG2 instead of DG4  
MIND - SADNESS - chill - during: cycl.: DG2 instead of DG3  
MIND - SENSITIVE: mosch.: DG2 instead of DG1  
MIND - SUICIDAL disposition - throwing - windows, from: aur.: DG2 instead of DG3

#### Head

**HEAD - PAIN - wrapping up head - agg.: cob.: DG1 instead of DG2**  
HEAD - PAIN - wrapping up head - agg.: ferr.: DG2 instead of DG1  
HEAD - PAIN - wrapping up head - agg.: ferr-i.: DG1 instead of DG2  
HEAD - PAIN - Bones: ruta: DG3 instead of DG2  
HEAD - PAIN - Forehead: DG3 instead of DG2  
HEAD - PAIN - Forehead - morning: crot-h.: DG2 instead of DG1  
HEAD - PAIN - Forehead - noon: chel.: DG2 instead of DG1  
HEAD - PAIN - Forehead - afternoon - 17 h: stram.: DG2 instead of DG1  
HEAD - PAIN - Forehead - evening: sel.: DG2 instead of DG1  
HEAD - PAIN - Forehead - eating - agg.: lyc.: DG2 instead of DG1  
**HEAD - PAIN - Forehead - pulsating pain: sep.: DG3 instead of DG1**  
HEAD - PAIN - Forehead - pulsating pain: zinc.: DG2 instead of DG1  
HEAD - PAIN - Forehead - warm - applications - amel.: kali-c.: DG2 instead of DG1  
**HEAD - PAIN - Forehead - Eyes - Above: kali-c.: DG2 instead of DG3**  
HEAD - PAIN - Forehead - Eyes - Above: mag-p.: DG2 instead of DG1

HEAD - PAIN - Forehead - Eyes - Above: sanic.: DG1 instead of DG2  
 HEAD - PAIN - Forehead - Eyes - Above: ter.: DG2 instead of DG1  
 HEAD - PAIN - Forehead - Eyes - Above - left - then right: psor: DG3 instead of DG2  
 HEAD - PAIN - Forehead - Eyes - Above - left - extending to - Forehead; increasing and decreasing gradually over whole: stann.: DG1 instead of DG2  
 HEAD - PAIN - Forehead - Eyes - Above - evening: puls.: DG3 instead of DG2  
 HEAD - PAIN - Forehead - Eyes - Above - evening: ran-b.: DG2 instead of DG1  
 HEAD - PAIN - Forehead - Eyes - Above - night: mez.: DG1 instead of DG2  
 HEAD - PAIN - Forehead - Eyes - Above - air; in open - agg.: chel.: DG2 instead of DG1  
 HEAD - PAIN - Forehead - Eyes - Above - air; in open - agg.: colch.: DG2 instead of DG1  
 HEAD - PAIN - Forehead - Eyes - Above - eating - after - agg.: bry.: DG3 instead of DG1  
 HEAD - PAIN - Forehead - Eyes - Above - light; from: nat-m.: DG2 instead of DG1  
 HEAD - PAIN - Forehead - Eyes - Above - light; from: spig.: DG2 instead of DG1  
 HEAD - PAIN - Forehead - Eyes - Above - lying down - after - amel.: kali-bi.: DG2 instead of DG1  
 HEAD - PAIN - Forehead - Eyes - Above - menses - during - amel.: kali-bi.: DG2 instead of DG1  
 HEAD - PAIN - Forehead - Eyes - Above - motion - agg.: nux-v.: DG1 instead of DG2  
 HEAD - PAIN - Forehead - Eyes - Above - pulsating pain: ham.: DG2 instead of DG1  
 HEAD - PAIN - Forehead - Eyes - Above - reading agg.: calc.: DG2 instead of DG1  
 HEAD - PAIN - Occiput: con.: DG2 instead of DG1  
 HEAD - PAIN - Occiput: led.: DG2 instead of DG1  
 HEAD - PAIN - Occiput: tab.: DG1 instead of DG2  
 HEAD - PAIN - Occiput - cold - applications - amel.: zinc.: DG2 instead of DG1  
 HEAD - PAIN - Occiput - darkness - agg.: onos.: DG2 instead of DG1  
 HEAD - PAIN - Occiput - heat - stove; of - agg.: puls.: DG2 instead of DG1  
 HEAD - PAIN - Occiput - paroxysmal: aesc. DG1 instead of DG2  
 HEAD - PAIN - Occiput - pulsating pain: asar.: DG2 instead of DG1  
 HEAD - PAIN - Occiput - pulsating pain: chel.: DG1 instead of DG2  
 HEAD - PAIN - Occiput - pulsating pain: con.: DG2 instead of DG1  
 HEAD - PAIN - Occiput - pulsating pain: ign.: DG2 instead of DG1  
 HEAD - PAIN - Occiput - pulsating pain: kali-br.: DG2 instead of DG1  
 HEAD - PAIN - Occiput - pulsating pain: valer.: DG2 instead of DG1  
 HEAD - PAIN - Occiput - sleep - after - agg.: pall.: DG1 instead of DG2  
 HEAD - PAIN - Occiput - walking - air; in open - agg.: caust.: DG1 instead of DG2  
 HEAD - PAIN - Occiput - extending to - Back; down the: cocc.: DG3 instead of DG2  
 HEAD - PAIN - Occiput - extending to - Head: mez.: DG1 instead of DG2  
 HEAD - PAIN - Occiput - extending to - Head: stram.: DG2 instead of DG3  
 HEAD - PAIN - Occiput - extending to - Neck - Down back of neck: lil-t.: DG2 instead of DG1  
 HEAD - PAIN - Occiput - Protuberance; occipital - warmth agg. - heat agg.: sil.: DG1 instead of DG2  
 HEAD - PAIN - Sides - night: caust.: DG1 instead of DG2  
 HEAD - PAIN - Sides - cold - applications - amel.: caust.: DG2 instead of DG1  
 HEAD - PAIN - Sides - extending to - Teeth: merc.: DG1 instead of DG2  
 HEAD - PAIN - Temples: lept.: DG2 instead of DG1  
 HEAD - PAIN - Temples: nat-s.: DG2 instead of DG1  
 HEAD - PAIN - Temples: nit-ac.: DG2 instead of DG1  
 HEAD - PAIN - Temples - left: staph.: DG1 instead of DG2  
 HEAD - PAIN - Temples - night: thuj.: DG2 instead of DG1  
 HEAD - PAIN - Temples - mental exertion - agg.: puls.: DG3 instead of DG2  
 HEAD - PAIN - Temples - pulsating pain: chinin-s.: DG1 instead of DG2  
 HEAD - PAIN - Temples - pulsating pain: lac-c.: DG2 instead of DG1  
 HEAD - PAIN - Temples - pulsating pain: podo.: DG1 instead of DG2  
 HEAD - PAIN - Vertex: ferr-pic.: DG2 instead of DG1  
 HEAD - PAIN - Vertex - paroxysmal: hydr.: DG2 instead of DG1  
 HEAD - PAIN - Vertex - pulsating pain: verat.: DG1 instead of DG2  
 HEAD - PAIN - Vertex - reading agg.: con.: DG2 instead of DG1  
 HEAD - PAIN - Forehead - extending to - Nose - boring pain: bism.: DG2 instead of DG1  
 HEAD - PAIN - Forehead - Eyes - Above - left - boring pain: spig.: DG2 instead of DG1  
 HEAD - PAIN - Temples - boring pain: nat-s.: DG2 instead of DG1  
 HEAD - PAIN - Forehead - sitting - agg. - burning: alum.: DG1 instead of DG2  
 HEAD - PAIN - Forehead - standing - agg. - burning: alum.: DG2 instead of DG1

Stomach

STOMACH - APPETITE - diminished: hydr.: DG1 instead of DG2  
 STOMACH - APPETITE - easy satiety: rheum: DG1 instead of DG2  
 STOMACH - APPETITE - increased: myric.: DG1 instead of DG2  
 STOMACH - APPETITE - increased - morning: sel.: DG1 instead of DG2  
 STOMACH - APPETITE - increased - evening: psor.: DG1 instead of DG2  
 STOMACH - APPETITE - ravenous: lach.: DG1 instead of DG2  
 STOMACH - APPETITE - ravenous: zinc.: DG1 instead of DG2  
 STOMACH - APPETITE - wanting: dig.: DG3 instead of DG1  
 STOMACH - APPETITE - wanting: lec.: DG1 instead of DG2  
 STOMACH - APPETITE - wanting - hunger; with: sil.: DG1 instead of DG2  
 STOMACH - CONSTRICTION: aesc.: DG3 instead of DG2  
 STOMACH - CONSTRICTION - eating - amel.: thuj.: DG1 instead of DG2  
 STOMACH - DISTENSION - eructations - not amel.: lyc.: DG2 instead of DG3  
 STOMACH - DISTENSION - exertion agg.: arg-n.: DG2 instead of DG1  
 STOMACH - EMPTINESS: hyos.: DG1 instead of DG2  
 STOMACH - EMPTINESS: kali-s: DG1 instead of DG2  
 STOMACH - EMPTINESS: murx.: DG1 instead of DG3  
 STOMACH - EMPTINESS - eating - not amel. by: lac-c.: DG2 instead of DG3  
 STOMACH - EMPTINESS - nausea; during: cycl.: DG1 instead of DG2  
 STOMACH - ERUCTATIONS: nat-c.: DG3 instead of DG1  
 STOMACH - ERUCTATIONS - beer; after: ferr.: DG2 instead of DG1  
 STOMACH - ERUCTATIONS - coffee agg.: coca: DG1 instead of DG2  
 STOMACH - ERUCTATIONS - eating - after - agg.: aesc.: DG2 instead of DG1  
 STOMACH - ERUCTATIONS - ineffectual and incomplete: nux-v.: DG2 instead of DG1  
 STOMACH - ERUCTATIONS; TYPE OF - empty: ant-t.: DG2 instead of DG1  
 STOMACH - ERUCTATIONS; TYPE OF - food; tasting like: rumx.: DG1 instead of DG2  
 STOMACH - ERUCTATIONS; TYPE OF - frothy: alet.: DG2 instead of DG1  
 STOMACH - ERUCTATIONS; TYPE OF - water brash - eating - after - agg.: calc.: DG1 instead of DG2  
 STOMACH - FULLNESS, sensation of: arr.: DG2 instead of DG1  
 STOMACH - FULLNESS, sensation of: sep.: DG2 instead of DG1

#### Chill

CHILL - CHILLINESS - evening - lying - bed; in - agg.: bry.: DG2 instead of DG1  
 CHILL - HEAT - overheated; when: rhus-t.: DG2 instead of DG1  
 CHILL - INTERNAL: acon.: DG1 instead of DG2  
 CHILL - SHAKING - partial: bry.: DG1 instead of DG2  
 CHILL - AUTUMN and spring: ars.: DG2 instead of DG1  
 CHILL - AUTUMN and spring: psor.: DG3 instead of DG2

#### Generals

GENERALS - EMACIATION - appetite with emaciation; ravenous - children; in - infants; in: bar-i.: DG2 instead of DG1  
 GENERALS - FOOD and DRINKS - butter - aversion: ptel.: DG1 instead of DG2  
 GENERALS - FOOD and DRINKS - coffee - agg.: sulph.: DG2 instead of DG1  
 GENERALS - FOOD and DRINKS - cold food - desire: merc-c.: DG2 instead of DG1  
 GENERALS - FOOD and DRINKS - food - aversion: bar-m.: DG1 instead of DG2  
 GENERALS - FOOD and DRINKS - meat - desire - smoked: kreos: DG2 instead of DG1  
 GENERALS - FOOD and DRINKS - water - aversion: kali-bi.: DG1 instead of DG2